

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	548	707/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:26
L2	359	707/206.ccls. and (mutator or garbage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:27
L3	36	707/206.ccls. and (mutator or garbage) and ("root objects" or "safe point" or "coordination points")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:29
L4	9	707/206.ccls. and (mutator or garbage) and ("root objects" or "safe point" or "coordination points") and (encod\$3 or "unused position" or "delay slot" or vliw)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:31
L5	34	707/206.ccls. and (mutator or garbage) and ("root objects" or "safe point" or "coordination points") and (state or status or bit or flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:30
S1	636	717/124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 06:46
S2	2	"6308319".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:37
S3	3	("6308319").URPN.	USPAT	OR	OFF	2004/12/07 15:37
S4	7	("5088036" "5321834" "5560003" "5920876" "5953736" "6098089" "6101580").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 16:07
S5	0	(garbage adj collection) or (heap near3 management)) and deallocat\$3 near5 (heuristic or strateg\$3 or procedure) same pointer and (multi-thread\$3 or parallel\$7) and ((vliw or epic) near5 (slot or pipelin\$3) and (halt\$3 or suspend\$4 or resum\$3 or resumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:31

S6	0	("6618738").URPN.	USPAT	OR	OFF	2004/12/07 16:19
S7	8	("20010000821" "20020120823" "5953736" "6052699" "6065020" "6308319" "6393440" "6427154").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 16:19
S8	6	("6467075").URPN.	USPAT	OR	OFF	2004/12/07 16:23
S9	12	("5703789" "5764951" "5903466" "5930827" "6021132" "6044418" "6067608" "6076151" "6253226" "6263302" "6295594" "6308319").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 16:26
S10	4	("6427154").URPN.	USPAT	OR	OFF	2004/12/07 16:28
S11	0	((garbage adj collection) or (heap near3 management)) and (deallocat\$3 near5 (heuristic or strateg\$3 or procedure)) and pointer and (multi-thread\$3 or parallel\$7) and ((vliw or epic) near5 (slot or pipelin\$3)) and (halt\$3 or suspend\$4 or resum\$3 or resumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:33
S12	0	((garbage adj collection) or (heap near3 manag\$5)) and ((deallocat\$3 or de-allocat\$3) near5 (heuristic or strateg\$3 or procedure)) and pointer and (multi-thread\$3 or parallel\$7) and (vliw or epic) and (slot or pipelin\$3) and (halt\$3 or suspend\$4 or resum\$3 or resumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:34
S13	5	((garbage adj collect\$3) or (heap near3 manag\$5)) and (deallocat\$3 or de-allocat\$3) and (heuristic or strateg\$3 or procedure) and pointer and (multi-thread\$3 or parallel\$7 or multithread\$3) and (vliw or epic) and (slot or pipelin\$3) and (halt\$3 or suspend\$4 or resum\$3 or resumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:51
S14	2	"20020052926"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:52
S15	189	(instruction adj (encod\$3 or arrangement)) and (VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:23

S16	257	((instruction or word) adj (encod\$3 or arrangement)) and (VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:40
S17	4212	(nop or noop or no-op) and (optimiz\$5 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:23
S18	112	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 07:09
S19	91	(nop or noop or no-op) near5 (optimiz\$5 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 07:38
S20	3	S16 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 07:09
S21	225	(nop or noop or no-op or no-operation or (no adj operation)) near5 (optimiz\$5 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 07:42
S22	295	(nop or noop or no-op or no-operation or (no adj operation)) near5 (replac\$3 or substitut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 07:48
S23	7	S16 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 07:43
S24	175	(replac\$3 or substitut\$3) adj (nop or noop or no-op or no-operation or (no adj operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:23
S25	6	("6195756").URPN.	USPAT	OR	OFF	2004/12/08 08:00
S26	1	encod\$3 near3 (unused adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:24

S27	7	encod\$3 near3 ((unused or available) adj (position or slot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:26
S28	100	encod\$3 near3 ((unused or available) near3 (position or slot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:30
S29	1	encod\$3 near3 ((unused or available) near3 (position or slot)) and (mmu or garbage or gc or heap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:27
S30	0	compiler near5 (encod\$3 near5 heuristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:31
S31	55	(encod\$3 near5 heuristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:31
S32	0	((instruction or word) adj (encod\$3 or arrangement) same heuristic and (VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 08:40
S33	0	((instruction or word) adj (encod\$3 or arrangement or placement)) same heuristic and (VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 09:00
S34	40	(exploit\$3 or insert\$3) same (heap or mmu or garbage or gc) same ((horizontal\$2 near3 instruction) or word or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:21
S35	231	(exploit\$3 or insert\$3 or add\$3 or modif\$7) same (heap or mmu or garbage or gc) same ((horizontal\$2 near3 instruction) or word or VLIW or EPIC or SIMD or MIMD or (explicit\$2 adj parallel\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:29

S36	33	(safe adj point) same (suspend\$3 or mutator or exception or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:31
S37	20	((safe adj point) same (suspend\$3 or mutator or exception or event)) not sun.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:50
S38	1034	(garbage or heap or mmu or (memory adj manag\$4)) same (interrupt\$3 or suspen\$4 or (context adj switch) or (priority near3 thread) or stall\$3 or mutator) and (word or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:06
S39	155	(garbage or heap or mmu or (memory adj manag\$4)) same (interrupt\$3 or suspen\$4 or (context adj switch) or (priority near3 thread) or stall\$3 or mutator) same (word or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:54
S40	27	(garbage or heap or mmu or (memory adj manag\$4)) same (interrupt\$3 or suspen\$4 or (context adj switch) or (priority near3 thread) or stall\$3 or mutator) near5 (word or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:54
S41	29	(garbage or heap or mmu or (memory adj manag\$4)) same (interrupt\$3 or suspen\$4 or (context adj switch) or (priority near3 thread) or stall\$3 or mutator or trap\$4) near5 (word or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:55

S42	38	(garbage or heap or mmu or (memory adj manag\$4)) same (interrupt\$3 or suspen\$4 or (context adj switch) or (priority near3 thread) or stall\$3 or mutator or trap\$4) near7 (word or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 15:18
S43	25	(garbage or heap or mmu or (memory adj manag\$4)) same (interrupt\$3 or suspen\$4 or (context adj switch) or (priority near3 thread) or stall\$3 or mutator or trap\$4) near7 ((instruction adj word) or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay or super-scaler or superscaler or (encod\$3 near3 horizontal\$2) or (plurality near2 (primitive or operations)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 15:21
S44	5	("5557771").URPN.	USPAT	OR	OFF	2004/12/08 16:26
S45	15	(instruction near3 patch\$3) and (suspend\$3 or suspension or stall\$3 or interrupt or trap\$3 or safe or (context adj switch\$3) or (high\$3 near2 priority)) and (garbage or heap or mmu or (memory adj manag\$4)) and ((instruction adj word) or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay or super-scaler or superscaler or (encod\$3 near3 horizontal\$2) or (plurality near2 (primitive or operations)))	USPAT	OR	OFF	2004/12/08 16:00
S46	284	(suspend\$3 or suspension or stall\$3 or interrupt or trap\$3 or safe or (context adj switch\$3) or (high\$3 near2 priority)) and (garbage or heap or mmu or (memory adj manag\$4)) same ((instruction adj word) or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay or super-scaler or superscaler or (encod\$3 near3 horizontal\$2) or (plurality near2 (primitive or operations)))	USPAT	OR	OFF	2004/12/08 16:04

S47	54	(suspend\$3 or suspension or stall\$3 or interrupt or trap\$3 or safe or (context adj switch\$3) or (high\$3 near2 priority)) same (garbage or heap or mmu or (memory adj manag\$4)) same ((instruction adj word) or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay or super-scaler or superscaler or (encod\$3 near3 horizontal\$2) or (plurality near2 (primitive or operations)))	USPAT	OR	OFF	2004/12/08 16:04
S48	1	("5557771").pn.	USPAT	OR	OFF	2004/12/08 16:31
S49	0	("5557771").pn. and trap\$4	USPAT	OR	OFF	2004/12/08 16:31
S50	1	(garbage or heap or mmu or (memory adj manag\$4)) same (interrupt\$3 or suspen\$4 or (context adj switch) or (priority near3 thread) or stall\$3 or mutator) and (augment\$3 near3 (word or VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel) or slot or delay))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 17:07
S51	387	safe adj point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 10:14
S52	7	(safe adj point) near3 garbage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 10:15
S53	0	(saf\$2 adj interrupt\$3) near3 garbage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 10:15
S54	0	(saf\$2 adj interrupt\$3) near3 compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 10:15
S55	1	(saf\$2 adj interrupt\$3) near3 thread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:22

S56	704	packed near3 instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:49
S57	191	(instruction adj (encod\$3 or arrangement)) and (VLIW or EPIC or SIMD or MIMD or (explicitly adj parallel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:11
S58	4214	(nop or noop or no-op) and (optimiz\$5 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:24
S59	22	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:24
S60	142	S56 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:24
S61	5	S56 and S58 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:24
S62	15	packed near3 instruction and (unused near3 (operat\$3 or instruction or position or slot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:05
S63	2	"20020052926"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:41
S64	2	"6308319".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:56
S65	4	("6151668" "5832205").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:57

S66	60	packed near3 (instruction or format or word) and (unused near3 (operat\$3 or instruction or position or slot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:06
S67	45	S66 not S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:06
S68	3	(conditional adj trap) and JIT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 09:40
S69	3	(conditional adj trap) and JIT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 09:46
S70	14	((exception or trap\$4) near5 conditional) and JIT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 09:46
S71	2	"6308319".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 11:59
S72	2	"20020052926"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:27
S73	167	((explicitly near3 parallel\$3) or epic or vliw) and (breakpoint or commit) and (status or bit or value) and (encod\$3 or "unused position" or "delay slot" or nop or noop or "no operation")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 07:41
S74	2052	("garbage collection" or "garbage collecting") and (state or status or bit or condition or value) and (event or handl\$3 or suspend\$3 or trigger or trap\$3 or exception or suspension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 16:52

S75	751	("garbage collection" or "garbage collecting") and (state or status or bit or condition or value) and (event or handl\$3 or suspend\$3 or trigger or trap\$3 or exception or suspension) and ("safe point" or consistent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 16:54
S76	877	("garbage collection" or "garbage collecting") and (state or status or bit or condition or value) and (event or handl\$3 or suspend\$3 or trigger or trap\$3 or exception or suspension) and ("safe point" or consistent or (pointers near3 memory).)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 16:55
S77	114	("garbage collection" or "garbage collecting") same (state or status or bit or condition or value) and (event or handl\$3 or suspend\$3 or trigger or trap\$3 or exception or suspension) same ("safe point" or consistent or (pointers near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 17:07
S78	2	"6308319".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 17:07
S79	12	("5088036" "5321834" "5560003" "5920876" "5953736" "6098089" "6101580").PN. OR ("6308319").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/02 17:07
S80	4	("5088036" "6052699" "6308319" "6341293").PN. OR ("6845385").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/02 17:37
S81	7	execut\$3 same ("safe point" or (pointers near3 live) or (pointers near3 memory)) same garbage same (suspend\$3 or suspension or wait\$3 or halt\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 07:24
S82	7	execut\$3 same ("safe point" or (pointers near3 live) or (pointers near3 memory)) same garbage same (suspend\$3 or suspension or wait\$3 or halt\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 07:24

S83	23	("4558413" "4807120" "4922414" "5535329" "5590332" "5764989" "5835701" "5987256" "5995754" "6151618" "6206584").PN. OR ("6446257"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 07:28
S84	7	("5088036" "5594904" "5842016" "6289360" "6301704" "6341293" "6446257").PN. OR ("6789253"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 07:47
S85	1	"6308319".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 07:47
S86	12	("5088036" "5321834" "5560003" "5920876" "5953736" "6098089" "6101580").PN. OR ("6308319"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 08:36
S87	0	"determine when to start garbage collector"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 08:37
S88	2	"start garbage collector"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 08:38
S89	348	(start\$3 or activat\$3 or invok\$3) near5 (garbage adj collect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 08:39
S90	31	(start\$3 or activat\$3 or invok\$3) near5 (garbage adj collect\$3) same (suspend\$3 or suspension or mutex or halt\$3 or wait\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/03 08:40
S91	6	"safe point" and (suspen\$4 near3 mutator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:37
S92	8	("5088036" "5159680" "5941977" "6282633").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/15 09:38
S93	141	("5088036").URPN.	USPAT	OR	OFF	2005/08/15 09:43
S94	100	("5088036").URPN. and (parallel or vliw or "delay slot" or "unused position" or (plurality near3 threads))	USPAT	OR	OFF	2005/08/15 09:46

S95	24	("5088036").URPN. and (parallel or vliw or "delay slot" or "unused position" or (plurality near3 threads)) and ("root set" or "safe point" or (pointers near3 garbage))	USPAT	OR	OFF	2005/08/15 10:24
S96	617	(parallel or vliw or "delay slot" or "unused position" or (plurality near3 threads)) and ("root set" or "safe point" or (pointers near4 (memory or heap or garbage))) and (processor near3 (state or status or "condition code" or condition\$4 or bit))	USPAT	OR	OFF	2005/08/15 10:28
S97	26	(parallel or vliw or "delay slot" or "unused position" or (plurality near3 threads)) and ("root set" or "safe point" or (pointers near4 (memory or heap or garbage))) same (processor near3 (state or status or "condition code" or condition\$4 or bit))	USPAT	OR	OFF	2005/08/15 10:28
S98	32	(parallel or vliw or "delay slot" or "unused position" or (plurality near3 threads)) same ("root set" or "safe point" or (pointers near4 (memory or heap or garbage))) and (processor near3 (state or status or "condition code" or condition\$4 or bit))	USPAT	OR	OFF	2005/08/15 10:59
S99	58	S97 or S98	USPAT	OR	OFF	2005/08/15 10:29
S100	1	"5842016".pn.	USPAT	OR	OFF	2005/08/15 10:59